

ONLY ORIGINAL WITH THE DIAMOND®



PUMP TECHNOLOGY

## Pricelist high efficiency pumps





## Pricelist high efficiency pumps

### WITA Delta HE 35 LED

Technical data see

Product brochure high efficiency pumps [page 8](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
HE 35-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	U HE4 131LEDST	171,30
HE 35-20	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	U HE4 100LEDST	166,32
HE 35-25	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	U HE4 110LEDST	166,32
HE 35-32	GG	180	32	G 2"	4	230V AC/50 Hz	U HE4 120LEDST	168,42
HE 35-20 S	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	U HE4 130LEDST	171,58
HE 35-25 S	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	U HE4 140LEDST	171,58
HE 35-20 SB 110	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	U HE4 150LEDST	195,79
HE 35-25 SB 110	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	U HE4 160LEDST	195,79
HE 35-20 SB 130	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	U HE4 170LEDST	195,79
HE 35-25 SB 130	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	U HE4 180LEDST	195,79

### WITA Delta HE 55 LED

Technical data see

Product brochure high efficiency pumps [page 8](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
HE 55-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	U HE6 131LEDST	173,47
HE 55-20	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	U HE6 100LEDST	168,42
HE 55-25	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	U HE6 110LEDST	168,42
HE 55-32	GG	180	32	G 2"	6	230V AC/50 Hz	U HE6 120LEDST	170,53
HE 55-20 S	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	U HE6 130LEDST	173,68
HE 55-25 S	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	U HE6 140LEDST	173,68
HE 55-20 SB 110	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	U HE6 150LEDST	195,79
HE 55-25 SB 110	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	U HE6 160LEDST	195,79
HE 55-20 SB 130	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	U HE6 170LEDST	195,79
HE 55-25 SB 130	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	U HE6 180LEDST	195,79

### WITA Delta HE 35 LCD

Technical data see

Product brochure high efficiency pumps [page 9](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
HE 35-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	U HE4 131LCDST	177,63
HE 35-20	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	U HE4 100LCDST	172,64
HE 35-25	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	U HE4 110LCDST	172,64
HE 35-32	GG	180	32	G 2"	4	230V AC/50 Hz	U HE4 120LCDST	174,74
HE 35-20 S	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	U HE4 130LCDST	177,90
HE 35-25 S	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	U HE4 140LCDST	177,90
HE 35-20 SB 110	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	U HE4 150LCDST	202,11
HE 35-25 SB 110	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	U HE4 160LCDST	202,11
HE 35-20 SB 130	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	U HE4 170LCDST	202,11
HE 35-25 SB 130	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	U HE4 180LCDST	202,11

GG = Grey cast iron kataphoresis coated, CuZn = Brass

## Pricelist high efficiency pumps

### WITA Delta HE 55 LCD



Technical data see  
Product brochure high efficiency pumps [page 9](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
HE 55-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	U HE6 131LCDST	179,79
HE 55-20	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	U HE6 100LCDST	174,74
HE 55-25	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	U HE6 110LCDST	174,74
HE 55-32	GG	180	32	G 2"	6	230V AC/50 Hz	U HE6 120LCDST	176,85
HE 55-20 S	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	U HE6 130LCDST	180,00
HE 55-25 S	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	U HE6 140LCDST	180,00
HE 55-20 SB 110	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	U HE6 150LCDST	202,11
HE 55-25 SB 110	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	U HE6 160LCDST	202,11
HE 55-20 SB 130	CuZn	130	20	G 1/4"	6	230V AC/50 Hz	U HE6 170LCDST	202,11
HE 55-25 SB 130	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	U HE6 180LCDST	202,11

### WITA Delta HE *light* 40



Technical data see  
Product brochure high efficiency pumps [page 10](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
HE 40 - 15 S light	GG	130	15	G 1"	4	230V AC/50 Hz	U HELI4 131ST	160,46
HE 40 - 20 light	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	U HELI4 100ST	155,79
HE 40 - 25 light	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	U HELI4 110ST	155,79
HE 40 - 32 light	GG	180	32	G 2"	4	230V AC/50 Hz	U HELI4 120ST	157,79
HE 40 - 20 S light	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	U HELI4 130ST	161,05
HE 40 - 25 S light	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	U HELI4 140ST	161,05
HE 40 - 20 SB 110 light	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	U HELI4 150ST	185,26
HE 40 - 25 SB 110 light	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	U HELI4 160ST	185,26
HE 40 - 20 SB 130 light	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	U HELI4 170ST	185,26
HE 40 - 25 SB 130 light	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	U HELI4 180ST	185,26

### WITA Delta HE *light* 60



Technical data see  
Product brochure high efficiency pumps [page 10](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
HE 60 - 15 S light	GG	130	15	G 1"	6	230V AC/50 Hz	U HELI6 131ST	162,63
HE 60 - 20 light	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	U HELI6 100ST	157,89
HE 60 - 25 light	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	U HELI6 110ST	157,89
HE 60 - 32 light	GG	180	32	G 2"	6	230V AC/50 Hz	U HELI6 120ST	160,00
HE 60 - 20 S light	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	U HELI6 130ST	163,16
HE 60 - 25 S light	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	U HELI6 140ST	163,16
HE 60 - 20 SB 110 light	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	U HELI6 150ST	187,37
HE 60 - 25 SB 110 light	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	U HELI6 160ST	187,37
HE 60 - 20 SB 130 light	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	U HELI6 170ST	187,37
HE 60 - 25 SB 130 light	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	U HELI6 180ST	187,37

GG = Grey cast iron kataphoresis coated, CuZn = Brass



## Pricelist high efficiency pumps

### WITA go.future 40 LED



Technical data see  
Product brochure high efficiency pumps [page 11](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
go.future 40-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	U GF4 131LEDST	180,78
go.future 40-20	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	U GF4 100LEDST	175,79
go.future 40-25	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	U GF4 110LEDST	175,79
go.future 40-32	GG	180	32	G 2"	4	230V AC/50 Hz	U GF4 120LEDST	177,89
go.future 40-20 S	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	U GF4 130LEDST	181,05
go.future 40-25 S	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	U GF4 140LEDST	181,05
go.future 40-20 SB 110	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	U GF4 150LEDST	205,26
go.future 40-25 SB 110	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	U GF4 160LEDST	205,26
go.future 40-20 SB 130	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	U GF4 170LEDST	205,26
go.future 40-25 SB 130	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	U GF4 180LEDST	205,26

### WITA go.future 60 LED



Technical data see  
Product brochure high efficiency pumps [page 11](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
go.future 60-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	U GF6 131LEDST	182,94
go.future 60-20	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	U GF6 100LEDST	177,89
go.future 60-25	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	U GF6 110LEDST	177,89
go.future 60-32	GG	180	32	G 2"	6	230V AC/50 Hz	U GF6 120LEDST	180,00
go.future 60-20 S	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	U GF6 130LEDST	183,15
go.future 60-25 S	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	U GF6 140LEDST	183,15
go.future 60-20 SB 110	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	U GF6 150LEDST	205,26
go.future 60-25 SB 110	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	U GF6 160LEDST	205,26
go.future 60-20 SB 130	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	U GF6 170LEDST	205,26
go.future 60-25 SB 130	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	U GF6 180LEDST	205,26

### WITA go.future 40 LCD



Technical data see  
Product brochure high efficiency pumps [page 12](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
go.future 60-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	U GF4 131LCDST	187,10
go.future 60-20	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	U GF4 100LCDST	182,11
go.future 60-25	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	U GF4 110LCDST	182,11
go.future 60-32	GG	180	32	G 2"	4	230V AC/50 Hz	U GF4 120LCDST	184,21
go.future 60-20 S	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	U GF4 130LCDST	187,37
go.future 60-25 S	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	U GF4 140LCDST	187,37
go.future 60-20 SB 110	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	U GF4 150LCDST	211,58
go.future 60-25 SB 110	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	U GF4 160LCDST	211,58
go.future 60-20 SB 130	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	U GF4 170LCDST	211,58
go.future 60-25 SB 130	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	U GF4 180LCDST	211,58

GG = Grey cast iron kataphoresis coated, CuZn = Brass

## Pricelist high efficiency pumps

### WITA go.future 60 LCD



Technical data see  
Product brochure high efficiency pumps [page 12](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
go.future 60-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	U GF6 131LCDST	189,26
go.future 60-20	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	U GF6 100LCDST	184,21
go.future 60-25	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	U GF6 110LCDST	184,21
go.future 60-32	GG	180	32	G 2"	6	230V AC/50 Hz	U GF6 120LCDST	186,32
go.future 60-20 S	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	U GF6 130LCDST	189,47
go.future 60-25 S	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	U GF6 140LCDST	189,47
go.future 60-20 SB 110	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	U GF6 150LCDST	211,58
go.future 60-25 SB 110	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	U GF6 160LCDST	211,58
go.future 60-20 SB 130	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	U GF6 170LCDST	211,58
go.future 60-25 SB 130	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	U GF6 180LCDST	211,58

### WITA go.future *light* 40



Technical data see  
Product brochure high efficiency pumps [page 13](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
go.future 40-15 S light	GG	130	15	G 1"	4	230V AC/50 Hz	U GF4 131LIST	169,93
go.future 40-20 light	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	U GF4 100LIST	165,26
go.future 40-25 light	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	U GF4 110LIST	165,26
go.future 40-32 light	GG	180	32	G 2"	4	230V AC/50 Hz	U GF4 120LIST	167,26
go.future 40-20 S light	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	U GF4 130LIST	170,52
go.future 40-25 S light	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	U GF4 140LIST	170,52
go.future 40-20 SB 110 light	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	U GF4 150LIST	194,73
go.future 40-25 SB 110 light	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	U GF4 160LIST	194,73
go.future 40-20 SB 130 light	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	U GF4 170LIST	194,73
go.future 40-25 SB 130 light	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	U GF4 180LIST	194,73

### WITA go.future *light* 60



Technical data see  
Product brochure high efficiency pumps [page 13](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
go.future 60-15 S light	GG	130	15	G 1"	6	230V AC/50 Hz	U GF6 131LIST	172,10
go.future 60-20 light	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	U GF6 100LIST	167,36
go.future 60-25 light	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	U GF6 110LIST	167,36
go.future 60-32 light	GG	180	32	G 2"	6	230V AC/50 Hz	U GF6 120LIST	169,47
go.future 60-20 S light	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	U GF6 130LIST	172,63
go.future 60-25 S light	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	U GF6 140LIST	172,63
go.future 60-20 SB 110 light	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	U GF6 150LIST	196,84
go.future 60-25 SB 110 light	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	U GF6 160LIST	196,84
go.future 60-20 SB 130 light	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	U GF6 170LIST	196,84
go.future 60-25 SB 130 light	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	U GF6 180LIST	196,84

GG = Grey cast iron kataphoresis coated, CuZn = Brass





## Pricelist high efficiency pumps

### WITA Delta UP 70



Technical data see

Product brochure high efficiency pumps [page 14](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
UP 70-15 S	GG	130	15	G 1"	7	230V AC/50 Hz	U 70 131 UP	164,80
UP 70-20	GG	180	20	G 1 ¼"	7	230V AC/50 Hz	U 70 100 UP	160,00
UP 70-25	GG	180	25	G 1 ½"	7	230V AC/50 Hz	U 70 110 UP	160,00
UP 70-32	GG	180	32	G 2"	7	230V AC/50 Hz	U 70 120 UP	162,11
UP 70-20 S	GG	130	20	G 1 ¼"	7	230V AC/50 Hz	U 70 130 UP	165,26
UP 70-25 S	GG	130	25	G 1 ½"	7	230V AC/50 Hz	U 70 140 UP	165,26
UP 70-20 SB 110	CuZn	110	20	G 1 ¼"	7	230V AC/50 Hz	U 70 150 UP	190,53
UP 70-25 SB 110	CuZn	110	25	G 1 ½"	7	230V AC/50 Hz	U 70 160 UP	190,53
UP 70-20 SB 130	CuZn	130	20	G 1 ¼"	7	230V AC/50 Hz	U 70 170 UP	190,53
UP 70-25 SB 130	CuZn	130	25	G 1 ½"	7	230V AC/50 Hz	U 70 180 UP	190,53

### WITA Delta UP 70 PWM



Technical data see

Product brochure high efficiency pumps [page 14](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
UP 70-15 S PWM	GG	130	15	G 1"	7	230V AC/50 Hz	U 70 131 UPPM	219,01
UP 70-20 PWM	GG	180	20	G 1 ¼"	7	230V AC/50 Hz	U 70 100 UPPM	212,63
UP 70-25 PWM	GG	180	25	G 1 ½"	7	230V AC/50 Hz	U 70 110 UPPM	212,63
UP 70-32 PWM	GG	180	32	G 2"	7	230V AC/50 Hz	U 70 120 UPPM	214,74
UP 70-20 S PWM	GG	130	20	G 1 ¼"	7	230V AC/50 Hz	U 70 130 UPPM	217,89
UP 70-25 S PWM	GG	130	25	G 1 ½"	7	230V AC/50 Hz	U 70 140 UPPM	217,89
UP 70-20 SB 110 PWM	CuZn	110	20	G 1 ¼"	7	230V AC/50 Hz	U 70 150 UPPM	243,16
UP 70-25 SB 110 PWM	CuZn	110	25	G 1 ½"	7	230V AC/50 Hz	U 70 160 UPPM	243,16
UP 70-20 SB 130 PWM	CuZn	130	20	G 1 ¼"	7	230V AC/50 Hz	U 70 170 UPPM	243,16
UP 70-25 SB 130 PWM	CuZn	130	25	G 1 ½"	7	230V AC/50 Hz	U 70 180 UPPM	243,16

### WITA Delta MIDI 40



Technical data see

Product brochure high efficiency pumps [page 15](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
MIDI 40-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	U 40 131	165,88
MIDI 40-20	GG	180	20	G 1 ¼"	4	230V AC/50 Hz	U 40 100	161,05
MIDI 40-25	GG	180	25	G 1 ½"	4	230V AC/50 Hz	U 40 110	161,05
MIDI 40-32	GG	180	32	G 2"	4	230V AC/50 Hz	U 40 120	163,16
MIDI 40-20 S	GG	130	20	G 1 ¼"	4	230V AC/50 Hz	U 40 130	165,26
MIDI 40-25 S	GG	130	25	G 1 ½"	4	230V AC/50 Hz	U 40 140	165,26
MIDI 40-20 SB 110	CuZn	110	20	G 1 ¼"	4	230V AC/50 Hz	U 40 150	190,53
MIDI 40-25 SB 110	CuZn	110	25	G 1 ½"	4	230V AC/50 Hz	U 40 160	190,53
MIDI 40-20 SB 130	CuZn	130	20	G 1 ¼"	4	230V AC/50 Hz	U 40 170	190,53
MIDI 40-25 SB 130	CuZn	130	25	G 1 ½"	4	230V AC/50 Hz	U 40 180	190,53

GG = Grey cast iron kataphoresis coated, CuZn = Brass

## Pricelist high efficiency pumps

### WITA Delta MIDI 40 PWM



Technical data see  
Product brochure high efficiency pumps [page 15](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
MIDI 40-15 S PWM	GG	130	15	G 1"	4	230V AC/50 Hz	U 40 131PM	220,09
MIDI 40-20 PWM	GG	180	20	G 1 ¼"	4	230V AC/50 Hz	U 40 100PM	213,68
MIDI 40-25 PWM	GG	180	25	G 1 ½"	4	230V AC/50 Hz	U 40 110PM	213,68
MIDI 40-32 PWM	GG	180	32	G 2"	4	230V AC/50 Hz	U 40 120PM	215,79
MIDI 40-20 S PWM	GG	130	20	G 1 ¼"	4	230V AC/50 Hz	U 40 130PM	218,95
MIDI 40-25 S PWM	GG	130	25	G 1 ½"	4	230V AC/50 Hz	U 40 140PM	218,95
MIDI 40-20 SB 110 PWM	CuZn	110	20	G 1 ¼"	4	230V AC/50 Hz	U 40 150PM	243,16
MIDI 40-25 SB 110 PWM	CuZn	110	25	G 1 ½"	4	230V AC/50 Hz	U 40 160PM	243,16
MIDI 40-20 SB 130 PWM	CuZn	130	20	G 1 ¼"	4	230V AC/50 Hz	U 40 170PM	243,16
MIDI 40-25 SB 130 PWM	CuZn	130	25	G 1 ½"	4	230V AC/50 Hz	U 40 180PM	243,16

### WITA Delta MIDI 60



Technical data see  
Product brochure high efficiency pumps [page 15](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
MIDI 60-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	U 60 131	168,05
MIDI 60-20	GG	180	20	G 1 ¼"	6	230V AC/50 Hz	U 60 100	163,16
MIDI 60-25	GG	180	25	G 1 ½"	6	230V AC/50 Hz	U 60 110	163,16
MIDI 60-32	GG	180	32	G 2"	6	230V AC/50 Hz	U 60 120	165,26
MIDI 60-20 S	GG	130	20	G 1 ¼"	6	230V AC/50 Hz	U 60 130	168,42
MIDI 60-25 S	GG	130	25	G 1 ½"	6	230V AC/50 Hz	U 60 140	168,42
MIDI 60-20 SB 110	CuZn	110	20	G 1 ¼"	6	230V AC/50 Hz	U 60 150	192,63
MIDI 60-25 SB 110	CuZn	110	25	G 1 ½"	6	230V AC/50 Hz	U 60 160	192,63
MIDI 60-20 SB 130	CuZn	130	20	G 1 ¼"	6	230V AC/50 Hz	U 60 170	192,63
MIDI 60-25 SB 130	CuZn	130	25	G 1 ½"	6	230V AC/50 Hz	U 60 180	192,63

### WITA Delta MIDI 60 PWM



Technical data see  
Product brochure high efficiency pumps [page 15](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
MIDI 60-15 S PWM	GG	130	15	G 1"	6	230V AC/50 Hz	U 60 131PM	222,26
MIDI 60-20 PWM	GG	180	20	G 1 ¼"	6	230V AC/50 Hz	U 60 100PM	215,79
MIDI 60-25 PWM	GG	180	25	G 1 ½"	6	230V AC/50 Hz	U 60 110PM	215,79
MIDI 60-32 PWM	GG	180	32	G 2"	6	230V AC/50 Hz	U 60 120PM	217,89
MIDI 60-20 S PWM	GG	130	20	G 1 ¼"	6	230V AC/50 Hz	U 60 130PM	221,05
MIDI 60-25 S PWM	GG	130	25	G 1 ½"	6	230V AC/50 Hz	U 60 140PM	221,05
MIDI 60-20 SB 110 PWM	CuZn	110	20	G 1 ¼"	6	230V AC/50 Hz	U 60 150PM	245,26
MIDI 60-25 SB 110 PWM	CuZn	110	25	G 1 ½"	6	230V AC/50 Hz	U 60 160PM	245,26
MIDI 60-20 SB 130 PWM	CuZn	130	20	G 1 ¼"	6	230V AC/50 Hz	U 60 170PM	245,26
MIDI 60-25 SB 130 PWM	CuZn	130	25	G 1 ½"	6	230V AC/50 Hz	U 60 180PM	245,26

GG = Grey cast iron kataphoresis coated, CuZn = Brass



## Pricelist high efficiency pumps

### WITA Delta TOP 40

Technical data see

Product brochure high efficiency pumps [page 16](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
TOP 60-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	U 40 131TOP	181,95
TOP 60-20	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	U 40 100TOP	177,12
TOP 60-25	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	U 40 110TOP	177,12
TOP 60-32	GG	180	32	G 2"	4	230V AC/50 Hz	U 40 120TOP	179,23
TOP 60-20 S	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	U 40 130TOP	181,33
TOP 60-25 S	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	U 40 140TOP	181,33
TOP 60-20 SB 110	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	U 40 150TOP	206,60
TOP 60-25 SB 110	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	U 40 160TOP	206,60
TOP 60-20 SB 130	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	U 40 170TOP	206,60
TOP 60-25 SB 130	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	U 40 180TOP	206,60

### WITA Delta TOP 40 PWM

Technical data see

Product brochure high efficiency pumps [page 16](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
TOP 40-15 S PWM	GG	130	15	G 1"	4	230V AC/50 Hz	U 40 131TOPPM	236,07
TOP 40-20 PWM	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	U 40 100TOPPM	229,75
TOP 40-25 PWM	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	U 40 110TOPPM	229,75
TOP 40-32 PWM	GG	180	32	G 2"	4	230V AC/50 Hz	U 40 120TOPPM	231,68
TOP 40-20 S PWM	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	U 40 130TOPPM	235,02
TOP 40-25 S PWM	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	U 40 140TOPPM	235,02
TOP 40-20 SB 110 PWM	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	U 40 150TOPPM	259,23
TOP 40-25 SB 110 PWM	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	U 40 160TOPPM	259,23
TOP 40-20 SB 130 PWM	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	U 40 170TOPPM	259,23
TOP 40-25 SB 130 PWM	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	U 40 180TOPPM	259,23

### WITA Delta TOP 60

Technical data see

Product brochure high efficiency pumps [page 16](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
TOP 60-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	U 60 131TOP	184,12
TOP 60-20	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	U 60 100TOP	179,23
TOP 60-25	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	U 60 110TOP	179,23
TOP 60-32	GG	180	32	G 2"	6	230V AC/50 Hz	U 60 120TOP	181,33
TOP 60-20 S	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	U 60 130TOP	184,49
TOP 60-25 S	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	U 60 140TOP	184,49
TOP 60-20 SB 110	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	U 60 150TOP	208,70
TOP 60-25 SB 110	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	U 60 160TOP	208,70
TOP 60-20 SB 130	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	U 60 170TOP	208,70
TOP 60-25 SB 130	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	U 60 180TOP	208,70

GG = Grey cast iron kataphoresis coated, CuZn = Brass



## Pricelist high efficiency pumps

### WITA Delta TOP 60 PWM



Technical data see  
Product brochure high efficiency pumps **page 16**

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
TOP 60-15 S PWM	GG	130	15	G 1"	6	230V AC/50 Hz	U 60 131PM	238,33
TOP 60-20 PWM	GG	180	20	G 1 ¼"	6	230V AC/50 Hz	U 60 100PM	231,86
TOP 60-25 PWM	GG	180	25	G 1 ½"	6	230V AC/50 Hz	U 60 110PM	231,86
TOP 60-32 PWM	GG	180	32	G 2"	6	230V AC/50 Hz	U 60 120PM	233,96
TOP 60-20 S PWM	GG	130	20	G 1 ¼"	6	230V AC/50 Hz	U 60 130PM	237,12
TOP 60-25 S PWM	GG	130	25	G 1 ½"	6	230V AC/50 Hz	U 60 140PM	237,12
TOP 60-20 SB 110 PWM	CuZn	110	20	G 1 ¼"	6	230V AC/50 Hz	U 60 150PM	261,33
TOP 60-25 SB 110 PWM	CuZn	110	25	G 1 ½"	6	230V AC/50 Hz	U 60 160PM	261,33
TOP 60-20 SB 130 PWM	CuZn	130	20	G 1 ¼"	6	230V AC/50 Hz	U 60 170PM	261,33
TOP 60-25 SB 130 PWM	CuZn	130	25	G 1 ½"	6	230V AC/50 Hz	U 60 180PM	261,33

### WITA Delta MAXI 80



Technical data see  
Product brochure high efficiency pumps **page 18**

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
MAXI 80-25	GG	180	25	G 1 ½"	8	230V AC/50Hz	U 80 110	245,26
MAXI 80-32	GG	180	32	G 2"	8	230V AC/50Hz	U 80 120	247,37

### WITA Delta MAXI 80 PWM



Technical data see  
Product brochure high efficiency pumps **page 18**

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
MAXI 80-25 PWM	GG	180	25	G 1 ½"	8	230V AC/50 Hz	U 80 110PM	297,89
MAXI 80-32 PWM	GG	180	32	G 2"	8	230V AC/50 Hz	U 80 120PM	300,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass



## Pricelist high efficiency pumps

### WITA Delta Plus UE 35A



Technical data see  
Product brochure high efficiency pumps [page 19](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
UE 35A-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	U 35A 131	172,39
UE 35A-20	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	U 35A 100	167,37
UE 35A-25	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	U 35A 110	167,37
UE 35A-32	GG	180	32	G 2"	4	230V AC/50 Hz	U 35A 120	169,47
UE 35A-20 S	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	U 35A 130	172,63
UE 35A-25 S	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	U 35A 140	172,63
UE 35A-20 SB 110	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	U 35A 150	197,89
UE 35A-25 SB 110	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	U 35A 160	197,89
UE 35A-20 SB 130	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	U 35A 170	197,89
UE 35A-25 SB 130	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	U 35A 180	197,89

### WITA Delta Plus UE 55A



Technical data see  
Product brochure high efficiency pumps [page 19](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
UE 55A-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	U 55A 131	174,55
UE 55A-20	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	U 55A 100	169,47
UE 55A-25	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	U 55A 110	169,47
UE 55A-32	GG	180	32	G 2"	6	230V AC/50 Hz	U 55A 120	171,58
UE 55A-20 S	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	U 55A 130	174,74
UE 55A-25 S	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	U 55A 140	174,74
UE 55A-20 SB 110	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	U 55A 150	200,00
UE 55A-25 SB 110	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	U 55A 160	200,00
UE 55A-20 SB 130	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	U 55A 170	200,00
UE 55A-25 SB 130	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	U 55A 180	200,00

### WITA Delta Plus UE 65A



Technical data see  
Product brochure high efficiency pumps [page 20](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
UE 65A-25	GG	180	25	G 1 1/2"	6,5	230V AC/50Hz	U 65A 110	205,26
UE 65A-32	GG	180	32	G 2"	6,5	230V AC/50Hz	U 65A 120	207,37

### WITA Delta Plus UE 80A



Technical data see  
Product brochure high efficiency pumps [page 20](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
UE 80A-25	GG	180	25	G 1 1/2"	8	230V AC/50Hz	U 80A 110	264,21
UE 80A-32	GG	180	32	G 2"	8	230V AC/50Hz	U 80A 120	266,32

GG = Grey cast iron kataphoresis coated, CuZn = Brass

## Pricelist high efficiency pumps

### WITA Delta Plus UE 70A



Technical data see  
Product brochure high efficiency pumps [page 21](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
UE 70A-15 S	GG	130	15	G 1"	7	230V AC/50 Hz	U 70A 131	253,71
UE 70A-20	GG	180	20	G 1 ¼"	7	230V AC/50Hz	U 70A 100	246,32
UE 70A-25	GG	180	25	G 1 ½"	7	230V AC/50Hz	U 70A 110	246,32
UE 70A-32	GG	180	32	G 2"	7	230V AC/50Hz	U 70A 120	248,42
UE 70A-20 S	GG	130	20	G 1 ¼"	7	230V AC/50Hz	U 70A 130	251,58
UE 70A-25 S	GG	130	25	G 1 ½"	7	230V AC/50Hz	U 70A 140	251,58
UE 70A-25 SB 130	CuZn	130	25	G 1 ½"	7	230V AC/50Hz	U 70A 180	273,68

### WITA Delta Plus UE 75A



Technical data see  
Product brochure high efficiency pumps [page 21](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
UE 75A-15 S	GG	130	15	G 1"	7,5	230V AC/50 Hz	U 75A 131	186,48
UE 75A-20	GG	180	20	G 1 ¼"	7,5	230V AC/50Hz	U 75A 100	181,05
UE 75A-25	GG	180	25	G 1 ½"	7,5	230V AC/50Hz	U 75A 110	181,05
UE 75A-32	GG	180	32	G 2"	7,5	230V AC/50Hz	U 75A 120	183,16
UE 75A-20 S	GG	130	20	G 1 ¼"	7,5	230V AC/50Hz	U 75A 130	186,32
UE 75A-25 S	GG	130	25	G 1 ½"	7,5	230V AC/50Hz	U 75A 140	186,32
UE 75A-25 SB 130	CuZn	130	25	G 1 ½"	7,5	230V AC/50Hz	U 75A 180	208,42

### WITA Delta HE 75



Technical data see  
Product brochure high efficiency pumps [Page 22](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
HE 75-25	GG	180	25	G 1 ½"	7,5	230V AC/50Hz	U HE75 110ST	474,74
HE 75-32	GG	180	32	G 2"	7,5	230V AC/50Hz	U HE75 120ST	476,84

GG = Grey cast iron kataphoresis coated, CuZn = Brass

### WITA Delta HE 75 PWM



Technical data see  
Product brochure high efficiency pumps [page 22](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
HE 75-25 PWM	GG	180	25	G 1 ½"	7,5	230V AC/50 Hz	U HE75 110STPM	527,37
HE 75-32 PWM	GG	180	32	G 2"	7,5	230V AC/50 Hz	U HE75 120STPM	529,47



## Pricelist high efficiency pumps

### WITA Delta HE 100

Technical data see

Product brochure high efficiency pumps [page 23](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
HE 100-25	GG	180	25	G 1 1/2"	10	230V AC/50Hz	U HE100 110ST	509,47
HE 100-32	GG	180	32	G 2"	10	230V AC/50Hz	U HE100 120ST	511,58

### WITA Delta HE 100 PWM

Technical data see

Product brochure high efficiency pumps [page 23](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
HE 100-25 PWM	GG	180	25	G 1 1/2"	10	230V AC/50 Hz	U HE100 110STPM	562,11
HE 100-32 PWM	GG	180	32	G 2"	10	230V AC/50 Hz	U HE100 120STPM	564,21

### WITA Delta HE 120

Technical data see

Product brochure high efficiency pumps [page 23](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
HE 120-25	GG	180	25	G 1 1/2"	12	230V AC/50Hz	U HE120 110ST	509,47
HE 120-32	GG	180	32	G 2"	12	230V AC/50Hz	U HE120 120ST	511,58

### WITA Delta HE 120 PWM

Technical data see

Product brochure high efficiency pumps [page 23](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
HE 120-25 PWM	GG	180	25	G 1 1/2"	12	230V AC/50 Hz	U HE120 110STPM	562,11
HE 120-32 PWM	GG	180	32	G 2"	12	230V AC/50 Hz	U HE120 120STPM	564,21

### WITA Delta HE 75 F

Technical data see

Product brochure high efficiency pumps [page 24](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
HE 75 F40	GG	220	40	Flansch DN 40	7,5	230V AC/50Hz	U HE75 F40ST	515,00
HE 75 F50	GG	240	50	Flansch DN 50	7,5	230V AC/50Hz	U HE75 F50ST	536,84

GG = Grey cast iron kataphoresis coated, CuZn = Brass

## Pricelist high efficiency pumps

### WITA Delta HE 75 F PWM

Technical data see  
Product brochure high efficiency pumps [page 24](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
<b>HE 75 F40 PWM</b>	GG	220	40	Flansch DN 40	7,5	230V AC/50 Hz	<b>U HE75 F40STPM</b>	<b>568,42</b>
<b>HE 75 F50 PWM</b>	GG	240	50	Flansch DN 50	7,5	230V AC/50 Hz	<b>U HE75 F50STPM</b>	<b>589,47</b>

### WITA Delta HE 100 F

Technical data see  
Product brochure high efficiency pumps [page 25](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
<b>HE 100 F40</b>	GG	220	40	Flansch DN 40	10	230V AC/50Hz	<b>U HE100 F40ST</b>	<b>549,47</b>
<b>HE 100 F50</b>	GG	240	50	Flansch DN 50	10	230V AC/50Hz	<b>U HE100 F50ST</b>	<b>571,58</b>

### WITA Delta HE 100 F PWM

Technical data see  
Product brochure high efficiency pumps [page 25](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
<b>HE 100 F40 PWM</b>	GG	220	40	Flansch DN 40	10	230V AC/50 Hz	<b>U HE100 F40STPM</b>	<b>602,11</b>
<b>HE 100 F50 PWM</b>	GG	240	50	Flansch DN 50	10	230V AC/50 Hz	<b>U HE100 F50STPM</b>	<b>624,21</b>

### WITA Delta HE 120 F

Technical data see  
Product brochure high efficiency pumps [page 25](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
<b>HE 120 F40</b>	GG	220	40	Flansch DN 40	12	230V AC/50Hz	<b>U HE120 F40ST</b>	<b>549,47</b>
<b>HE 120 F50</b>	GG	240	50	Flansch DN 50	12	230V AC/50Hz	<b>U HE120 F50ST</b>	<b>571,58</b>

### WITA Delta HE 120 F PWM

Technical data see  
Product brochure high efficiency pumps [page 25](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
<b>HE 120 F40 PWM</b>	GG	220	40	Flansch DN 40	12	230V AC/50 Hz	<b>U HE120 F40STPM</b>	<b>602,11</b>
<b>HE 120 F50 PWM</b>	GG	240	50	Flansch DN 50	12	230V AC/50 Hz	<b>U HE120 F50STPM</b>	<b>624,21</b>

GG = Grey cast iron kataphoresis coated, CuZn = Brass





## Pricelist high efficiency pumps

### WITA Delta Aqua UE 35A

Technical data see

Product brochure high efficiency pumps [page 26](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
<b>Aqua UE 35A-25 SB</b>	CuZn	130	25	G 1 1/2"	4	230V AC/50Hz	<b>BW 35A 180</b>	<b>202,11</b>

### WITA Delta Aqua UE 55A

Technical data see

Product brochure high efficiency pumps [page 26](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
<b>Aqua UE 55A-25 SB</b>	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	<b>BW 55A 180</b>	<b>204,28</b>

### WITA UPH 15

Technical data see

Product brochure high efficiency pumps [page 27](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
<b>UPH 15</b>	CuZn	65	15	1/2" IG	1	230V AC/50Hz	<b>BW 15 300ST</b>	<b>119,00</b>

### WITA UPH 20-KS

Technical data see

Product brochure high efficiency pumps [page 27](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
<b>UPH 20-KS</b>	CuZn	110	20	1 1/4" AG	0,9	230V AC/50Hz	<b>BW 20 300ST</b>	<b>139,00</b>

### WITA U 25 export model\*

Technical data see

product brochure high efficiency pumps [page 28](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
<b>U 25-20</b>	GG	180	20	G 1 1/4"	2	230V-50Hz	<b>U 25 000</b>	<b>100,00</b>
<b>U 25-25</b>	GG	180	25	G 1 1/2"	2	230V-50Hz	<b>U 25 010</b>	<b>100,00</b>
<b>U 25-32</b>	GG	180	32	G 2"	2	230V-50Hz	<b>U 25 020</b>	<b>100,00</b>
<b>U 25-20 S</b>	GG	130	20	G 1 1/4"	2	230V-50Hz	<b>U 25 030</b>	<b>100,00</b>
<b>U 25-25 S</b>	GG	130	25	G 1 1/2"	2	230V-50Hz	<b>U 25 040</b>	<b>100,00</b>
<b>U 25-20 SB 110</b>	CuZn	110	20	G 1 1/4"	2	230V-50Hz	<b>U 25 050</b>	<b>131,58</b>
<b>U 25-25 SB 110</b>	CuZn	110	25	G 1 1/2"	2	230V-50Hz	<b>U 25 060</b>	<b>131,58</b>
<b>U 25-20 SB 130</b>	CuZn	130	20	G 1 1/4"	2	230V-50Hz	<b>U 25 070</b>	<b>131,58</b>
<b>U 25-25 SB 130</b>	CuZn	130	25	G 1 1/2"	2	230V-50Hz	<b>U 25 080</b>	<b>131,58</b>

GG = Grey cast iron kataphoresis coated, CuZn = Brass

\*available only outside of the EU

## Pricelist high efficiency pumps

### WITA U 35 export model\*

Technical data see  
product brochure high efficiency pumps **page 29**



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
<b>U 35-20</b>	GG	180	20	G 1 ¼"	4	230V-50Hz	<b>U 35 000</b>	<b>100,00</b>
<b>U 35-25</b>	GG	180	25	G 1 ½"	4	230V-50Hz	<b>U 35 010</b>	<b>100,00</b>
<b>U 35-32</b>	GG	180	32	G 2"	4	230V-50Hz	<b>U 35 020</b>	<b>100,00</b>
<b>U 35-20 S</b>	GG	130	20	G 1 ¼"	4	230V-50Hz	<b>U 35 030</b>	<b>100,00</b>
<b>U 35-25 S</b>	GG	130	25	G 1 ½"	4	230V-50Hz	<b>U 35 040</b>	<b>100,00</b>
<b>U 35-20 SB 110</b>	CuZn	110	20	G 1 ¼"	4	230V-50Hz	<b>U 35 050</b>	<b>131,58</b>
<b>U 35-25 SB 110</b>	CuZn	110	25	G 1 ½"	4	230V-50Hz	<b>U 35 060</b>	<b>131,58</b>
<b>U 35-20 SB 130</b>	CuZn	130	20	G 1 ¼"	4	230V-50Hz	<b>U 35 070</b>	<b>131,58</b>
<b>U 35-25 SB 130</b>	CuZn	130	25	G 1 ½"	4	230V-50Hz	<b>U 35 080</b>	<b>131,58</b>

### WITA U 55 export model\*

Technical data see  
product brochure high efficiency pumps **page 30**



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
<b>U 55-20</b>	GG	180	20	G 1 ¼"	6	230V-50Hz	<b>U 55 000</b>	<b>100,00</b>
<b>U 55-25</b>	GG	180	25	G 1 ½"	6	230V-50Hz	<b>U 55 010</b>	<b>100,00</b>
<b>U 55-32</b>	GG	180	32	G 2"	6	230V-50Hz	<b>U 55 020</b>	<b>100,00</b>
<b>U 55-20 S</b>	GG	130	20	G 1 ¼"	6	230V-50Hz	<b>U 55 030</b>	<b>100,00</b>
<b>U 55-25 S</b>	GG	130	25	G 1 ½"	6	230V-50Hz	<b>U 55 040</b>	<b>100,00</b>
<b>U 55-20 SB 110</b>	CuZn	110	20	G 1 ¼"	6	230V-50Hz	<b>U 55 050</b>	<b>131,58</b>
<b>U 55-25 SB 110</b>	CuZn	110	25	G 1 ½"	6	230V-50Hz	<b>U 55 060</b>	<b>131,58</b>
<b>U 55-20 SB 130</b>	CuZn	130	20	G 1 ¼"	6	230V-50Hz	<b>U 55 070</b>	<b>131,58</b>
<b>U 55-25 SB 130</b>	CuZn	130	25	G 1 ½"	6	230V-50Hz	<b>U 55 080</b>	<b>131,58</b>

### WITA U 75 export model\*

Technical data see  
product brochure high efficiency pumps **page 30**



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
<b>U 75-25</b>	GG	180	25	G 1 ½"	8	230V-50Hz	<b>U 75 010</b>	<b>131,58</b>
<b>U 75-32</b>	GG	180	32	G 2"	8	230V-50Hz	<b>U 75 020</b>	<b>131,58</b>
<b>U 75-25 S</b>	GG	130	25	G 1 ½"	8	230V-50Hz	<b>U 75 040</b>	<b>131,58</b>

GG = Grey cast iron kataphoresis coated, CuZn = Brass

\*available only outside of the EU

ONLY ORIGINAL WITH THE DIAMOND®



## WITA - Wilhelm Taake GmbH

Böllingshöfen 85 | D-32549 Bad Oeynhausen  
Tel.: +49 5734 512380 | Fax: +49 5734 1752  
[www.wita.de](http://www.wita.de) | [info@wita.de](mailto:info@wita.de)

We reserve the right of production related deviations in dimension and design as well as the right of error and technical modifications.