



Pricelist high efficiency pumps

WITA go.future 2 – 40 LED

Technical data see Product brochure high efficiency pumps [page 8](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
40-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	U GO4 131LEDST	PG 1 189,00
40-20	GG	180	20	G 1 ¼"	4	230V AC/50 Hz	U GO4 100LEDST	PG 1 189,00
40-25	GG	180	25	G 1 ½"	4	230V AC/50 Hz	U GO4 110LEDST	PG 1 189,00
40-32	GG	180	32	G 2"	4	230V AC/50 Hz	U GO4 120LEDST	PG 1 189,00
40-20 S	GG	130	20	G 1 ¼"	4	230V AC/50 Hz	U GO4 130LEDST	PG 1 189,00
40-25 S	GG	130	25	G 1 ½"	4	230V AC/50 Hz	U GO4 140LEDST	PG 1 189,00
40-20 SB 110	CuZn	110	20	G 1 ¼"	4	230V AC/50 Hz	U GO4 150LEDST	PG 1 220,00
40-25 SB 110	CuZn	110	25	G 1 ½"	4	230V AC/50 Hz	U GO4 160LEDST	PG 1 220,00
40-20 SB 130	CuZn	130	20	G 1 ¼"	4	230V AC/50 Hz	U GO4 170LEDST	PG 1 220,00
40-25 SB 130	CuZn	130	25	G 1 ½"	4	230V AC/50 Hz	U GO4 180LEDST	PG 1 220,00

WITA go.future 2 – 40 LED PWM

Technical data see Product brochure high efficiency pumps [page 8](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
40-15 S PWM	GG	130	15	G 1"	4	230V AC/50 Hz	U GO4 131LEDSTPM	PG 1 244,00
40-20 PWM	GG	180	20	G 1 ¼"	4	230V AC/50 Hz	U GO4 100LEDSTPM	PG 1 244,00
40-25 PWM	GG	180	25	G 1 ½"	4	230V AC/50 Hz	U GO4 110LEDSTPM	PG 1 244,00
40-32 PWM	GG	180	32	G 2"	4	230V AC/50 Hz	U GO4 120LEDSTPM	PG 1 244,00
40-20 S PWM	GG	130	20	G 1 ¼"	4	230V AC/50 Hz	U GO4 130LEDSTPM	PG 1 244,00
40-25 S PWM	GG	130	25	G 1 ½"	4	230V AC/50 Hz	U GO4 140LEDSTPM	PG 1 244,00
40-20 SB 110 PWM	CuZn	110	20	G 1 ¼"	4	230V AC/50 Hz	U GO4 150LEDSTPM	PG 1 275,00
40-25 SB 110 PWM	CuZn	110	25	G 1 ½"	4	230V AC/50 Hz	U GO4 160LEDSTPM	PG 1 275,00
40-20 SB 130 PWM	CuZn	130	20	G 1 ¼"	4	230V AC/50 Hz	U GO4 170LEDSTPM	PG 1 275,00
40-25 SB 130 PWM	CuZn	130	25	G 1 ½"	4	230V AC/50 Hz	U GO4 180LEDSTPM	PG 1 275,00

WITA go.future 2 – 60 LED

Technical data see Product brochure high efficiency pumps [page 8](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
60-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	U GO6 131LEDST	PG 1 189,00
60-20	GG	180	20	G 1 ¼"	6	230V AC/50 Hz	U GO6 100LEDST	PG 1 189,00
60-25	GG	180	25	G 1 ½"	6	230V AC/50 Hz	U GO6 110LEDST	PG 1 189,00
60-32	GG	180	32	G 2"	6	230V AC/50 Hz	U GO6 120LEDST	PG 1 189,00
60-20 S	GG	130	20	G 1 ¼"	6	230V AC/50 Hz	U GO6 130LEDST	PG 1 189,00
60-25 S	GG	130	25	G 1 ½"	6	230V AC/50 Hz	U GO6 140LEDST	PG 1 189,00
60-20 SB 110	CuZn	110	20	G 1 ¼"	6	230V AC/50 Hz	U GO6 150LEDST	PG 1 220,00
60-25 SB 110	CuZn	110	25	G 1 ½"	6	230V AC/50 Hz	U GO6 160LEDST	PG 1 220,00
60-20 SB 130	CuZn	130	20	G 1 ¼"	6	230V AC/50 Hz	U GO6 170LEDST	PG 1 220,00
60-25 SB 130	CuZn	130	25	G 1 ½"	6	230V AC/50 Hz	U GO6 180LEDST	PG 1 220,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass

Pricelist high efficiency pumps

WITA go.future 2 – 60 LED PWM



Technical data see Product brochure high efficiency pumps page 8

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
60-15 S PWM	GG	130	15	G 1"	6	230V AC/50 Hz	U GO6 131LEDSTPM	PG 1 244,00
60-20 PWM	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	U GO6 100LEDSTPM	PG 1 244,00
60-25 PWM	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	U GO6 110LEDSTPM	PG 1 244,00
60-32 PWM	GG	180	32	G 2"	6	230V AC/50 Hz	U GO6 120LEDSTPM	PG 1 244,00
60-20 S PWM	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	U GO6 130LEDSTPM	PG 1 244,00
60-25 S PWM	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	U GO6 140LEDSTPM	PG 1 244,00
60-20 SB 110 PWM	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	U GO6 150LEDSTPM	PG 1 275,00
60-25 SB 110 PWM	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	U GO6 160LEDSTPM	PG 1 275,00
60-20 SB 130 PWM	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	U GO6 170LEDSTPM	PG 1 275,00
60-25 SB 130 PWM	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	U GO6 180LEDSTPM	PG 1 275,00

WITA go.future 2 – 40 LCD



Technical data see Product brochure high efficiency pumps page 9

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
40-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	U GO4 131LCDST	PG 1 196,00
40-20	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	U GO4 100LCDST	PG 1 196,00
40-25	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	U GO4 110LCDST	PG 1 196,00
40-32	GG	180	32	G 2"	4	230V AC/50 Hz	U GO4 120LCDST	PG 1 196,00
40-20 S	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	U GO4 130LCDST	PG 1 196,00
40-25 S	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	U GO4 140LCDST	PG 1 196,00
40-20 SB 110	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	U GO4 150LCDST	PG 1 227,00
40-25 SB 110	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	U GO4 160LCDST	PG 1 227,00
40-20 SB 130	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	U GO4 170LCDST	PG 1 227,00
40-25 SB 130	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	U GO4 180LCDST	PG 1 227,00

WITA go.future 2 – 40 LCD PWM



Technical data see Product brochure high efficiency pumps page 9

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
40-15 S PWM	GG	130	15	G 1"	4	230V AC/50 Hz	U GO4 131LCDSTPM	PG 1 251,00
40-20 PWM	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	U GO4 100LCDSTPM	PG 1 251,00
40-25 PWM	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	U GO4 110LCDSTPM	PG 1 251,00
40-32 PWM	GG	180	32	G 2"	4	230V AC/50 Hz	U GO4 120LCDSTPM	PG 1 251,00
40-20 S PWM	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	U GO4 130LCDSTPM	PG 1 251,00
40-25 S PWM	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	U GO4 140LCDSTPM	PG 1 251,00
40-20 SB 110 PWM	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	U GO4 150LCDSTPM	PG 1 282,00
40-25 SB 110 PWM	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	U GO4 160LCDSTPM	PG 1 282,00
40-20 SB 130 PWM	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	U GO4 170LCDSTPM	PG 1 282,00
40-25 SB 130 PWM	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	U GO4 180LCDSTPM	PG 1 282,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass



Pricelist high efficiency pumps

WITA go.future 2 – 60 LCD

Technical data see Product brochure high efficiency pumps [page 9](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
60-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	U GO6 131LCDST	PG 1 196,00
60-20	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	U GO6 100LCDST	PG 1 196,00
60-25	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	U GO6 110LCDST	PG 1 196,00
60-32	GG	180	32	G 2"	6	230V AC/50 Hz	U GO6 120LCDST	PG 1 196,00
60-20 S	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	U GO6 130LCDST	PG 1 196,00
60-25 S	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	U GO6 140LCDST	PG 1 196,00
60-20 SB 110	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	U GO6 150LCDST	PG 1 227,00
60-25 SB 110	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	U GO6 160LCDST	PG 1 227,00
60-20 SB 130	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	U GO6 170LCDST	PG 1 227,00
60-25 SB 130	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	U GO6 180LCDST	PG 1 227,00

WITA go.future 2 – 60 LCD PWM

Technical data see Product brochure high efficiency pumps [page 9](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
60-15 S PWM	GG	130	15	G 1"	6	230V AC/50 Hz	U GO6 131LCDSTPM	PG 1 251,00
60-20 PWM	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	U GO6 100LCDSTPM	PG 1 251,00
60-25 PWM	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	U GO6 110LCDSTPM	PG 1 251,00
60-32 PWM	GG	180	32	G 2"	6	230V AC/50 Hz	U GO6 120LCDSTPM	PG 1 251,00
60-20 S PWM	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	U GO6 130LCDSTPM	PG 1 251,00
60-25 S PWM	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	U GO6 140LCDSTPM	PG 1 251,00
60-20 SB 110 PWM	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	U GO6 150LCDSTPM	PG 1 282,00
60-25 SB 110 PWM	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	U GO6 160LCDSTPM	PG 1 282,00
60-20 SB 130 PWM	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	U GO6 170LCDSTPM	PG 1 282,00
60-25 SB 130 PWM	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	U GO6 180LCDSTPM	PG 1 282,00

WITA go.future 2 – light 40

Technical data see Product brochure high efficiency pumps [page 10](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
light 40-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	U GOLI4 131ST	PG 1 178,00
light 40-20	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	U GOLI4 100ST	PG 1 178,00
light 40-25	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	U GOLI4 110ST	PG 1 178,00
light 40-32	GG	180	32	G 2"	4	230V AC/50 Hz	U GOLI4 120ST	PG 1 178,00
light 40-20 S	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	U GOLI4 130ST	PG 1 178,00
light 40-25 S	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	U GOLI4 140ST	PG 1 178,00
light 40-20 SB 110	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	U GOLI4 150ST	PG 1 209,00
light 40-25 SB 110	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	U GOLI4 160ST	PG 1 209,00
light 40-20 SB 130	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	U GOLI4 170ST	PG 1 209,00
light 40-25 SB 130	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	U GOLI4 180ST	PG 1 209,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass

Pricelist high efficiency pumps

WITA go.future 2 – *light* 40 **PWM**



Technical data see Product brochure high efficiency pumps page 10

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
light 40-15 S PWM	GG	130	15	G 1"	4	230V AC/50 Hz	U GOLI4 131STPM	PG 1 233,00
light 40-20 PWM	GG	180	20	G 1 ¼"	4	230V AC/50 Hz	U GOLI4 100STPM	PG 1 233,00
light 40-25 PWM	GG	180	25	G 1 ½"	4	230V AC/50 Hz	U GOLI4 110STPM	PG 1 233,00
light 40-32 PWM	GG	180	32	G 2"	4	230V AC/50 Hz	U GOLI4 120STPM	PG 1 233,00
light 40-20 S PWM	GG	130	20	G 1 ¼"	4	230V AC/50 Hz	U GOLI4 130STPM	PG 1 233,00
light 40-25 S PWM	GG	130	25	G 1 ½"	4	230V AC/50 Hz	U GOLI4 140STPM	PG 1 233,00
light 40-20 SB 110 PWM	CuZn	110	20	G 1 ¼"	4	230V AC/50 Hz	U GOLI4 150STPM	PG 1 264,00
light 40-25 SB 110 PWM	CuZn	110	25	G 1 ½"	4	230V AC/50 Hz	U GOLI4 160STPM	PG 1 264,00
light 40-20 SB 130 PWM	CuZn	130	20	G 1 ¼"	4	230V AC/50 Hz	U GOLI4 170STPM	PG 1 264,00
light 40-25 SB 130 PWM	CuZn	130	25	G 1 ½"	4	230V AC/50 Hz	U GOLI4 180STPM	PG 1 264,00

WITA go.future 2 – *light* 60



Technical data see Product brochure high efficiency pumps page 10

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
light 60-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	U GOLI6 131ST	PG 1 178,00
light 60-20	GG	180	20	G 1 ¼"	6	230V AC/50 Hz	U GOLI6 100ST	PG 1 178,00
light 60-25	GG	180	25	G 1 ½"	6	230V AC/50 Hz	U GOLI6 110ST	PG 1 178,00
light 60-32	GG	180	32	G 2"	6	230V AC/50 Hz	U GOLI6 120ST	PG 1 178,00
light 60-20 S	GG	130	20	G 1 ¼"	6	230V AC/50 Hz	U GOLI6 130ST	PG 1 178,00
light 60-25 S	GG	130	25	G 1 ½"	6	230V AC/50 Hz	U GOLI6 140ST	PG 1 178,00
light 60-20 SB 110	CuZn	110	20	G 1 ¼"	6	230V AC/50 Hz	U GOLI6 150ST	PG 1 209,00
light 60-25 SB 110	CuZn	110	25	G 1 ½"	6	230V AC/50 Hz	U GOLI6 160ST	PG 1 209,00
light 60-20 SB 130	CuZn	130	20	G 1 ¼"	6	230V AC/50 Hz	U GOLI6 170ST	PG 1 209,00
light 60-25 SB 130	CuZn	130	25	G 1 ½"	6	230V AC/50 Hz	U GOLI6 180ST	PG 1 209,00

WITA go.future 2 – *light* 60 **PWM**



Technical data see Product brochure high efficiency pumps page 10

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
light 60-15 S PWM	GG	130	15	G 1"	6	230V AC/50 Hz	U GOLI6 131STPM	PG 1 233,00
light 60-20 PWM	GG	180	20	G 1 ¼"	6	230V AC/50 Hz	U GOLI6 100STPM	PG 1 233,00
light 60-25 PWM	GG	180	25	G 1 ½"	6	230V AC/50 Hz	U GOLI6 110STPM	PG 1 233,00
light 60-32 PWM	GG	180	32	G 2"	6	230V AC/50 Hz	U GOLI6 120STPM	PG 1 233,00
light 60-20 S PWM	GG	130	20	G 1 ¼"	6	230V AC/50 Hz	U GOLI6 130STPM	PG 1 233,00
light 60-25 S PWM	GG	130	25	G 1 ½"	6	230V AC/50 Hz	U GOLI6 140STPM	PG 1 233,00
light 60-20 SB 110 PWM	CuZn	110	20	G 1 ¼"	6	230V AC/50 Hz	U GOLI6 150STPM	PG 1 264,00
light 60-25 SB 110 PWM	CuZn	110	25	G 1 ½"	6	230V AC/50 Hz	U GOLI6 160STPM	PG 1 264,00
light 60-20 SB 130 PWM	CuZn	130	20	G 1 ¼"	6	230V AC/50 Hz	U GOLI6 170STPM	PG 1 264,00
light 60-25 SB 130 PWM	CuZn	130	25	G 1 ½"	6	230V AC/50 Hz	U GOLI6 180STPM	PG 1 264,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass



Pricelist high efficiency pumps

WITA go.future 40 LED



Technical data see Product brochure high efficiency pumps [page 11](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
40-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	U GF4 131LEDST	PG 1 190,00
40-20	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	U GF4 100LEDST	PG 1 185,00
40-25	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	U GF4 110LEDST	PG 1 185,00
40-32	GG	180	32	G 2"	4	230V AC/50 Hz	U GF4 120LEDST	PG 1 187,00
40-20 S	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	U GF4 130LEDST	PG 1 190,00
40-25 S	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	U GF4 140LEDST	PG 1 190,00
40-20 SB 110	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	U GF4 150LEDST	PG 1 216,00
40-25 SB 110	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	U GF4 160LEDST	PG 1 216,00
40-20 SB 130	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	U GF4 170LEDST	PG 1 216,00
40-25 SB 130	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	U GF4 180LEDST	PG 1 216,00

WITA go.future 60 LED



Technical data see Product brochure high efficiency pumps [page 11](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
60-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	U GF6 131LEDST	PG 1 192,00
60-20	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	U GF6 100LEDST	PG 1 187,00
60-25	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	U GF6 110LEDST	PG 1 187,00
60-32	GG	180	32	G 2"	6	230V AC/50 Hz	U GF6 120LEDST	PG 1 189,00
60-20 S	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	U GF6 130LEDST	PG 1 192,00
60-25 S	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	U GF6 140LEDST	PG 1 192,00
60-20 SB 110	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	U GF6 150LEDST	PG 1 216,00
60-25 SB 110	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	U GF6 160LEDST	PG 1 216,00
60-20 SB 130	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	U GF6 170LEDST	PG 1 216,00
60-25 SB 130	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	U GF6 180LEDST	PG 1 216,00

WITA go.future 40 LCD



Technical data see Product brochure high efficiency pumps [page 12](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
40-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	U GF4 131LCDST	PG 1 196,00
40-20	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	U GF4 100LCDST	PG 1 191,00
40-25	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	U GF4 110LCDST	PG 1 191,00
40-32	GG	180	32	G 2"	4	230V AC/50 Hz	U GF4 120LCDST	PG 1 193,00
40-20 S	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	U GF4 130LCDST	PG 1 197,00
40-25 S	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	U GF4 140LCDST	PG 1 197,00
40-20 SB 110	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	U GF4 150LCDST	PG 1 222,00
40-25 SB 110	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	U GF4 160LCDST	PG 1 222,00
40-20 SB 130	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	U GF4 170LCDST	PG 1 222,00
40-25 SB 130	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	U GF4 180LCDST	PG 1 222,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass

Pricelist high efficiency pumps

WITA go.future 60 LCD



Technical data see Product brochure high efficiency pumps [page 12](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
60-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	U GF6 131LCDST	PG 1 199,00
60-20	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	U GF6 100LCDST	PG 1 193,00
60-25	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	U GF6 110LCDST	PG 1 193,00
60-32	GG	180	32	G 2"	6	230V AC/50 Hz	U GF6 120LCDST	PG 1 196,00
60-20 S	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	U GF6 130LCDST	PG 1 199,00
60-25 S	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	U GF6 140LCDST	PG 1 199,00
60-20 SB 110	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	U GF6 150LCDST	PG 1 222,00
60-25 SB 110	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	U GF6 160LCDST	PG 1 222,00
60-20 SB 130	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	U GF6 170LCDST	PG 1 222,00
60-25 SB 130	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	U GF6 180LCDST	PG 1 222,00

WITA go.future *light* 40



Technical data see Product brochure high efficiency pumps [page 13](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
light 40-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	U GF4 131LIST	PG 1 178,00
light 40-20	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	U GF4 100LIST	PG 1 173,00
light 40-25	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	U GF4 110LIST	PG 1 173,00
light 40-32	GG	180	32	G 2"	4	230V AC/50 Hz	U GF4 120LIST	PG 1 176,00
light 40-20 S	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	U GF4 130LIST	PG 1 179,00
light 40-25 S	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	U GF4 140LIST	PG 1 179,00
light 40-20 SB 110	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	U GF4 150LIST	PG 1 204,00
light 40-25 SB 110	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	U GF4 160LIST	PG 1 204,00
light 40-20 SB 130	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	U GF4 170LIST	PG 1 204,00
light 40-25 SB 130	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	U GF4 180LIST	PG 1 204,00

WITA go.future *light* 60



Technical data see Product brochure high efficiency pumps [page 13](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
light 60-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	U GF6 131LIST	PG 1 181,00
light 60-20	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	U GF6 100LIST	PG 1 176,00
light 60-25	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	U GF6 110LIST	PG 1 176,00
light 60-32	GG	180	32	G 2"	6	230V AC/50 Hz	U GF6 120LIST	PG 1 178,00
light 60-20 S	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	U GF6 130LIST	PG 1 181,00
light 60-25 S	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	U GF6 140LIST	PG 1 181,00
light 60-20 SB 110	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	U GF6 150LIST	PG 1 207,00
light 60-25 SB 110	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	U GF6 160LIST	PG 1 207,00
light 60-20 SB 130	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	U GF6 170LIST	PG 1 207,00
light 60-25 SB 130	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	U GF6 180LIST	PG 1 207,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass



Pricelist high efficiency pumps

WITA Delta HE 35 LED



Technical data see Product brochure high efficiency pumps [page 14](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
35-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	U HE4 131ST	PG 1 180,00
35-20	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	U HE4 100ST	PG 1 175,00
35-25	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	U HE4 110ST	PG 1 175,00
35-32	GG	180	32	G 2"	4	230V AC/50 Hz	U HE4 120ST	PG 1 177,00
35-20 S	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	U HE4 130ST	PG 1 180,00
35-25 S	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	U HE4 140ST	PG 1 180,00
35-20 SB 110	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	U HE4 150ST	PG 1 205,00
35-25 SB 110	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	U HE4 160ST	PG 1 205,00
35-20 SB 130	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	U HE4 170ST	PG 1 205,00
35-25 SB 130	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	U HE4 180ST	PG 1 205,00

WITA Delta HE 55 LED



Technical data see Product brochure high efficiency pumps [page 14](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
55-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	U HE6 131ST	PG 1 182,00
55-20	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	U HE6 100ST	PG 1 177,00
55-25	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	U HE6 110ST	PG 1 177,00
55-32	GG	180	32	G 2"	6	230V AC/50 Hz	U HE6 120ST	PG 1 179,00
55-20 S	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	U HE6 130ST	PG 1 182,00
55-25 S	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	U HE6 140ST	PG 1 182,00
55-20 SB 110	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	U HE6 150ST	PG 1 205,00
55-25 SB 110	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	U HE6 160ST	PG 1 205,00
55-20 SB 130	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	U HE6 170ST	PG 1 205,00
55-25 SB 130	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	U HE6 180ST	PG 1 205,00

WITA Delta HE 35 LCD



Technical data see Product brochure high efficiency pumps [page 15](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
35-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	U HE4 131LCDST	PG 1 186,00
35-20	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	U HE4 100LCDST	PG 1 181,00
35-25	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	U HE4 110LCDST	PG 1 181,00
35-32	GG	180	32	G 2"	4	230V AC/50 Hz	U HE4 120LCDST	PG 1 183,00
35-20 S	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	U HE4 130LCDST	PG 1 187,00
35-25 S	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	U HE4 140LCDST	PG 1 187,00
35-20 SB 110	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	U HE4 150LCDST	PG 1 212,00
35-25 SB 110	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	U HE4 160LCDST	PG 1 212,00
35-20 SB 130	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	U HE4 170LCDST	PG 1 212,00
35-25 SB 130	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	U HE4 180LCDST	PG 1 212,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass

Pricelist high efficiency pumps

WITA Delta HE 55 LCD

Technical data see Product brochure high efficiency pumps [page 15](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
55-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	U HE6 131LCDST	PG 1 189,00
55-20	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	U HE6 100LCDST	PG 1 183,00
55-25	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	U HE6 110LCDST	PG 1 183,00
55-32	GG	180	32	G 2"	6	230V AC/50 Hz	U HE6 120LCDST	PG 1 186,00
55-20 S	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	U HE6 130LCDST	PG 1 189,00
55-25 S	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	U HE6 140LCDST	PG 1 189,00
55-20 SB 110	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	U HE6 150LCDST	PG 1 212,00
55-25 SB 110	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	U HE6 160LCDST	PG 1 212,00
55-20 SB 130	CuZn	130	20	G 1/4"	6	230V AC/50 Hz	U HE6 170LCDST	PG 1 212,00
55-25 SB 130	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	U HE6 180LCDST	PG 1 212,00

WITA Delta HE *light* 40

Technical data see Product brochure high efficiency pumps [page 16](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
light 40-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	U HELI4 131ST	PG 1 168,00
light 40-20	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	U HELI4 100ST	PG 1 163,00
light 40-25	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	U HELI4 110ST	PG 1 163,00
light 40-32	GG	180	32	G 2"	4	230V AC/50 Hz	U HELI4 120ST	PG 1 166,00
light 40-20 S	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	U HELI4 130ST	PG 1 169,00
light 40-25 S	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	U HELI4 140ST	PG 1 169,00
light 40-20 SB 110	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	U HELI4 150ST	PG 1 194,00
light 40-25 SB 110	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	U HELI4 160ST	PG 1 194,00
light 40-20 SB 130	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	U HELI4 170ST	PG 1 194,00
light 40-25 SB 130	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	U HELI4 180ST	PG 1 194,00

WITA Delta HE *light* 60

Technical data see Product brochure high efficiency pumps [page 16](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
light 60-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	U HELI6 131ST	PG 1 171,00
light 60-20	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	U HELI6 100ST	PG 1 166,00
light 60-25	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	U HELI6 110ST	PG 1 166,00
light 60-32	GG	180	32	G 2"	6	230V AC/50 Hz	U HELI6 120ST	PG 1 168,00
light 60-20 S	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	U HELI6 130ST	PG 1 171,00
light 60-25 S	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	U HELI6 140ST	PG 1 171,00
light 60-20 SB 110	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	U HELI6 150ST	PG 1 197,00
light 60-25 SB 110	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	U HELI6 160ST	PG 1 197,00
light 60-20 SB 130	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	U HELI6 170ST	PG 1 197,00
light 60-25 SB 130	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	U HELI6 180ST	PG 1 197,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass



Pricelist high efficiency pumps

WITA Delta TOP 40



Technical data see Product brochure high efficiency pumps [page 17](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
40-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	U 40 131TOP	PG 1 191,00
40-20	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	U 40 100TOP	PG 1 186,00
40-25	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	U 40 110TOP	PG 1 186,00
40-32	GG	180	32	G 2"	4	230V AC/50 Hz	U 40 120TOP	PG 1 188,00
40-20 S	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	U 40 130TOP	PG 1 190,00
40-25 S	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	U 40 140TOP	PG 1 190,00
40-20 SB 110	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	U 40 150TOP	PG 1 217,00
40-25 SB 110	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	U 40 160TOP	PG 1 217,00
40-20 SB 130	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	U 40 170TOP	PG 1 217,00
40-25 SB 130	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	U 40 180TOP	PG 1 217,00

WITA Delta TOP 40 PWM



Technical data see Product brochure high efficiency pumps [page 17](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
40-15 S PWM	GG	130	15	G 1"	4	230V AC/50 Hz	U 40 131TOPPM	PG 1 248,00
40-20 PWM	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	U 40 100TOPPM	PG 1 241,00
40-25 PWM	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	U 40 110TOPPM	PG 1 241,00
40-32 PWM	GG	180	32	G 2"	4	230V AC/50 Hz	U 40 120TOPPM	PG 1 243,00
40-20 S PWM	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	U 40 130TOPPM	PG 1 247,00
40-25 S PWM	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	U 40 140TOPPM	PG 1 247,00
40-20 SB 110 PWM	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	U 40 150TOPPM	PG 1 272,00
40-25 SB 110 PWM	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	U 40 160TOPPM	PG 1 272,00
40-20 SB 130 PWM	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	U 40 170TOPPM	PG 1 272,00
40-25 SB 130 PWM	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	U 40 180TOPPM	PG 1 272,00

WITA Delta TOP 60



Technical data see Product brochure high efficiency pumps [page 17](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
60-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	U 60 131TOP	PG 1 193,00
60-20	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	U 60 100TOP	PG 1 188,00
60-25	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	U 60 110TOP	PG 1 188,00
60-32	GG	180	32	G 2"	6	230V AC/50 Hz	U 60 120TOP	PG 1 190,00
60-20 S	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	U 60 130TOP	PG 1 194,00
60-25 S	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	U 60 140TOP	PG 1 194,00
60-20 SB 110	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	U 60 150TOP	PG 1 219,00
60-25 SB 110	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	U 60 160TOP	PG 1 219,00
60-20 SB 130	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	U 60 170TOP	PG 1 219,00
60-25 SB 130	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	U 60 180TOP	PG 1 219,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass

Pricelist high efficiency pumps

WITA Delta TOP 60 PWM



Technical data see Product brochure high efficiency pumps page 17

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
60-15 S PWM	GG	130	15	G 1"	6	230V AC/50 Hz	U 60 131TOPPM	PG 1 250,00
60-20 PWM	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	U 60 100TOPPM	PG 1 243,00
60-25 PWM	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	U 60 110TOPPM	PG 1 243,00
60-32 PWM	GG	180	32	G 2"	6	230V AC/50 Hz	U 60 120TOPPM	PG 1 245,00
60-20 S PWM	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	U 60 130TOPPM	PG 1 249,00
60-25 S PWM	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	U 60 140TOPPM	PG 1 249,00
60-20 SB 110 PWM	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	U 60 150TOPPM	PG 1 274,00
60-25 SB 110 PWM	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	U 60 160TOPPM	PG 1 274,00
60-20 SB 130 PWM	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	U 60 170TOPPM	PG 1 274,00
60-25 SB 130 PWM	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	U 60 180TOPPM	PG 1 274,00

WITA Delta MIDI 40



Technical data see Product brochure high efficiency pumps page 18

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
40-15 S	GG	130	15	G 1"	4	230V AC/50 Hz	U 40 131	PG 1 174,00
40-20	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	U 40 100	PG 1 169,00
40-25	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	U 40 110	PG 1 169,00
40-32	GG	180	32	G 2"	4	230V AC/50 Hz	U 40 120	PG 1 171,00
40-20 S	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	U 40 130	PG 1 173,00
40-25 S	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	U 40 140	PG 1 173,00
40-20 SB 110	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	U 40 150	PG 1 200,00
40-25 SB 110	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	U 40 160	PG 1 200,00
40-20 SB 130	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	U 40 170	PG 1 200,00
40-25 SB 130	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	U 40 180	PG 1 200,00

WITA Delta MIDI 40 PWM



Technical data see Product brochure high efficiency pumps page 18

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
40-15 S PWM	GG	130	15	G 1"	4	230V AC/50 Hz	U 40 131PM	PG 1 231,00
40-20 PWM	GG	180	20	G 1 1/4"	4	230V AC/50 Hz	U 40 100PM	PG 1 224,00
40-25 PWM	GG	180	25	G 1 1/2"	4	230V AC/50 Hz	U 40 110PM	PG 1 224,00
40-32 PWM	GG	180	32	G 2"	4	230V AC/50 Hz	U 40 120PM	PG 1 226,00
40-20 S PWM	GG	130	20	G 1 1/4"	4	230V AC/50 Hz	U 40 130PM	PG 1 230,00
40-25 S PWM	GG	130	25	G 1 1/2"	4	230V AC/50 Hz	U 40 140PM	PG 1 230,00
40-20 SB 110 PWM	CuZn	110	20	G 1 1/4"	4	230V AC/50 Hz	U 40 150PM	PG 1 255,00
40-25 SB 110 PWM	CuZn	110	25	G 1 1/2"	4	230V AC/50 Hz	U 40 160PM	PG 1 255,00
40-20 SB 130 PWM	CuZn	130	20	G 1 1/4"	4	230V AC/50 Hz	U 40 170PM	PG 1 255,00
40-25 SB 130 PWM	CuZn	130	25	G 1 1/2"	4	230V AC/50 Hz	U 40 180PM	PG 1 255,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass



Pricelist high efficiency pumps

WITA Delta MIDI 60

Technical data see Product brochure high efficiency pumps [page 18](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
60-15 S	GG	130	15	G 1"	6	230V AC/50 Hz	U 60 131	PG 1 176,00
60-20	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	U 60 100	PG 1 171,00
60-25	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	U 60 110	PG 1 171,00
60-32	GG	180	32	G 2"	6	230V AC/50 Hz	U 60 120	PG 1 173,00
60-20 S	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	U 60 130	PG 1 177,00
60-25 S	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	U 60 140	PG 1 177,00
60-20 SB 110	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	U 60 150	PG 1 202,00
60-25 SB 110	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	U 60 160	PG 1 202,00
60-20 SB 130	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	U 60 170	PG 1 202,00
60-25 SB 130	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	U 60 180	PG 1 202,00

WITA Delta MIDI 60 PWM

Technical data see Product brochure high efficiency pumps [page 18](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
60-15 S PWM	GG	130	15	G 1"	6	230V AC/50 Hz	U 60 131PM	PG 1 233,00
60-20 PWM	GG	180	20	G 1 1/4"	6	230V AC/50 Hz	U 60 100PM	PG 1 226,00
60-25 PWM	GG	180	25	G 1 1/2"	6	230V AC/50 Hz	U 60 110PM	PG 1 226,00
60-32 PWM	GG	180	32	G 2"	6	230V AC/50 Hz	U 60 120PM	PG 1 229,00
60-20 S PWM	GG	130	20	G 1 1/4"	6	230V AC/50 Hz	U 60 130PM	PG 1 232,00
60-25 S PWM	GG	130	25	G 1 1/2"	6	230V AC/50 Hz	U 60 140PM	PG 1 232,00
60-20 SB 110 PWM	CuZn	110	20	G 1 1/4"	6	230V AC/50 Hz	U 60 150PM	PG 1 257,00
60-25 SB 110 PWM	CuZn	110	25	G 1 1/2"	6	230V AC/50 Hz	U 60 160PM	PG 1 257,00
60-20 SB 130 PWM	CuZn	130	20	G 1 1/4"	6	230V AC/50 Hz	U 60 170PM	PG 1 257,00
60-25 SB 130 PWM	CuZn	130	25	G 1 1/2"	6	230V AC/50 Hz	U 60 180PM	PG 1 257,00

WITA Delta UP 70

Technical data see Product brochure high efficiency pumps [page 19](#)



Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
70-15 S	GG	130	15	G 1"	7	230V AC/50 Hz	U 70 131 UP	PG 1 173,00
70-20	GG	180	20	G 1 1/4"	7	230V AC/50 Hz	U 70 100 UP	PG 1 168,00
70-25	GG	180	25	G 1 1/2"	7	230V AC/50 Hz	U 70 110 UP	PG 1 168,00
70-32	GG	180	32	G 2"	7	230V AC/50 Hz	U 70 120 UP	PG 1 170,00
70-20 S	GG	130	20	G 1 1/4"	7	230V AC/50 Hz	U 70 130 UP	PG 1 173,00
70-25 S	GG	130	25	G 1 1/2"	7	230V AC/50 Hz	U 70 140 UP	PG 1 173,00
70-20 SB 110	CuZn	110	20	G 1 1/4"	7	230V AC/50 Hz	U 70 150 UP	PG 1 200,00
70-25 SB 110	CuZn	110	25	G 1 1/2"	7	230V AC/50 Hz	U 70 160 UP	PG 1 200,00
70-20 SB 130	CuZn	130	20	G 1 1/4"	7	230V AC/50 Hz	U 70 170 UP	PG 1 200,00
70-25 SB 130	CuZn	130	25	G 1 1/2"	7	230V AC/50 Hz	U 70 180 UP	PG 1 200,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass

Pricelist high efficiency pumps

WITA Delta UP 70 PWM



Technical data see Product brochure high efficiency pumps page 19

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
70-15 S PWM	GG	130	15	G 1"	7	230V AC/50 Hz	U 70 131 UPPM	PG 1 230,00
70-20 PWM	GG	180	20	G 1 ¼"	7	230V AC/50 Hz	U 70 100 UPPM	PG 1 223,00
70-25 PWM	GG	180	25	G 1 ½"	7	230V AC/50 Hz	U 70 110 UPPM	PG 1 223,00
70-32 PWM	GG	180	32	G 2"	7	230V AC/50 Hz	U 70 120 UPPM	PG 1 225,00
70-20 S PWM	GG	130	20	G 1 ¼"	7	230V AC/50 Hz	U 70 130 UPPM	PG 1 229,00
70-25 S PWM	GG	130	25	G 1 ½"	7	230V AC/50 Hz	U 70 140 UPPM	PG 1 229,00
70-20 SB 110 PWM	CuZn	110	20	G 1 ¼"	7	230V AC/50 Hz	U 70 150 UPPM	PG 1 255,00
70-25 SB 110 PWM	CuZn	110	25	G 1 ½"	7	230V AC/50 Hz	U 70 160 UPPM	PG 1 255,00
70-20 SB 130 PWM	CuZn	130	20	G 1 ¼"	7	230V AC/50 Hz	U 70 170 UPPM	PG 1 255,00
70-25 SB 130 PWM	CuZn	130	25	G 1 ½"	7	230V AC/50 Hz	U 70 180 UPPM	PG 1 255,00

WITA Delta MAXI 80



Technical data see Product brochure high efficiency pumps page 20

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
80-25	GG	180	25	G 1 ½"	8	230V AC/50Hz	U 80 110	PG 1 257,00
80-32	GG	180	32	G 2"	8	230V AC/50Hz	U 80 120	PG 1 260,00

WITA Delta MAXI 80 PWM



Technical data see Product brochure high efficiency pumps page 20

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
80-25 PWM	GG	180	25	G 1 ½"	8	230V AC/50 Hz	U 80 110PM	PG 1 313,00
80-32 PWM	GG	180	32	G 2"	8	230V AC/50 Hz	U 80 120PM	PG 1 315,00

WITA Delta HE 75



Technical data see Product brochure high efficiency pumps page 21

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
75-25	GG	180	25	G 1 ½"	7,5	230V AC/50Hz	U HE75 110ST	PG 3 498,00
75-32	GG	180	32	G 2"	7,5	230V AC/50Hz	U HE75 120ST	PG 3 500,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass



Pricelist high efficiency pumps

WITA Delta HE 75 PWM



Technical data see Product brochure high efficiency pumps [page 21](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
75-25 PWM	GG	180	25	G 1 1/2"	7,5	230V AC/50 Hz	U HE75 110STPM	PG 3 553,00
75-32 PWM	GG	180	32	G 2"	7,5	230V AC/50 Hz	U HE75 120STPM	PG 3 555,00

WITA Delta HE 100



Technical data see Product brochure high efficiency pumps [page 22](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
100-25	GG	180	25	G 1 1/2"	10	230V AC/50Hz	U HE100 110ST	PG 3 534,00
100-32	GG	180	32	G 2"	10	230V AC/50Hz	U HE100 120ST	PG 3 537,00

WITA Delta HE 100 PWM



Technical data see Product brochure high efficiency pumps [page 22](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
100-25 PWM	GG	180	25	G 1 1/2"	10	230V AC/50 Hz	U HE100 110STPM	PG 3 590,00
100-32 PWM	GG	180	32	G 2"	10	230V AC/50 Hz	U HE100 120STPM	PG 3 592,00

WITA Delta HE 120



Technical data see Product brochure high efficiency pumps [page 22](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
120-25	GG	180	25	G 1 1/2"	12	230V AC/50Hz	U HE120 110ST	PG 3 534,00
120-32	GG	180	32	G 2"	12	230V AC/50Hz	U HE120 120ST	PG 3 537,00

WITA Delta HE 120 PWM



Technical data see Product brochure high efficiency pumps [page 22](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
120-25 PWM	GG	180	25	G 1 1/2"	12	230V AC/50 Hz	U HE120 110STPM	PG 3 590,00
120-32 PWM	GG	180	32	G 2"	12	230V AC/50 Hz	U HE120 120STPM	PG 3 592,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass

Pricelist high efficiency pumps

WITA Delta HE 75 F



Technical data see Product brochure high efficiency pumps [page 23](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
75 F40	GG	220	40	Flansch DN 40	7,5	230V AC/50Hz	U HE75 F40ST	PG 3 540,00
75 F50	GG	240	50	Flansch DN 50	7,5	230V AC/50Hz	U HE75 F50ST	PG 3 563,00

WITA Delta HE 75 F PWM



Technical data see Product brochure high efficiency pumps [page 23](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
75 F40 PWM	GG	220	40	Flansch DN 40	7,5	230V AC/50 Hz	U HE75 F40STPM	PG 3 596,00
75 F50 PWM	GG	240	50	Flansch DN 50	7,5	230V AC/50 Hz	U HE75 F50STPM	PG 3 618,00

WITA Delta HE 100 F



Technical data see Product brochure high efficiency pumps [page 24](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
100 F40	GG	220	40	Flansch DN 40	10	230V AC/50Hz	U HE100 F40ST	PG 3 576,00
100 F50	GG	240	50	Flansch DN 50	10	230V AC/50Hz	U HE100 F50ST	PG 3 600,00

WITA Delta HE 100 F PWM



Technical data see Product brochure high efficiency pumps [page 24](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
100 F40 PWM	GG	220	40	Flansch DN 40	10	230V AC/50 Hz	U HE100 F40STPM	PG 3 632,00
100 F50 PWM	GG	240	50	Flansch DN 50	10	230V AC/50 Hz	U HE100 F50STPM	PG 3 655,00

WITA Delta HE 120 F



Technical data see Product brochure high efficiency pumps [page 24](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
120 F40	GG	220	40	Flansch DN 40	12	230V AC/50Hz	U HE120 F40ST	PG 3 576,00
120 F50	GG	240	50	Flansch DN 50	12	230V AC/50Hz	U HE120 F50ST	PG 3 600,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass



Pricelist high efficiency pumps

WITA Delta HE 120 F PWM



Technical data see Product brochure high efficiency pumps [page 24](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
120 F40 PWM	GG	220	40	Flansch DN 40	12	230V AC/50 Hz	U HE120 F40STPM	PG 3 632,00
120 F50 PWM	GG	240	50	Flansch DN 50	12	230V AC/50 Hz	U HE120 F50STPM	PG 3 655,00

WITA Delta Aqua UE 35A



Technical data see Product brochure high efficiency pumps [page 25](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
35A-25 SB	CuZn	130	25	G 1 ½"	4	230V AC/50Hz	BW 35A 180	PG 3 212,00

WITA Delta Aqua UE 55A



Technical data see Product brochure high efficiency pumps [page 25](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
55A-25 SB	CuZn	130	25	G 1 ½"	6	230V AC/50 Hz	BW 55A 180	PG 3 214,00

WITA UPH 15



Technical data see Product brochure high efficiency pumps [page 26](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
15	CuZn	65	15	½" IG	1	230V AC/50Hz	BW 15 300ST	PG 3 125,00

WITA UPH 20-KS



Technical data see Product brochure high efficiency pumps [page 26](#)

Article	Pump housing	Length (mm)	DN	Connection thread	m (H)	Supply voltage	Item number	Price (€)
20-KS	CuZn	110	20	1 ¼" AG	0,9	230V AC/50Hz	BW 20 300ST	PG 3 146,00

GG = Grey cast iron kataphoresis coated, CuZn = Brass



General Terms and Conditions

Section 1 Scope

- (1) These conditions of sale shall only apply to companies, legal persons under public law or special funds under public law pursuant to Section 310 (1) of the German Civil Code (BGB). If the Purchaser's conditions contradict or deviate from our conditions of sale, we shall not recognise such contradictory or deviating conditions unless we expressly agree in writing to their application.
- (2) These conditions of sale shall also apply to all future transactions with the Purchaser, provided said future transactions are legal transactions of a similar nature (as a precaution, the conditions of sale must always be enclosed with the order confirmation).

Section 2 Offers and conclusion of the Agreement

If an order is to be viewed as an offer pursuant to Section 145 of the BGB, we may accept it within a period of two weeks.

Section 3 Transferred documents

We retain the ownership rights and copyright to all documents sent to the Purchaser in association with the granting of the order, e.g. calculations, drawings etc. These documents must not be made accessible to third parties unless we grant the Purchaser our express approval to do so in writing. If we do not accept the Purchaser's offer within the period specified under Section 2, these documents must be returned to us without delay.

Section 4 Prices and payment

- (1) Unless otherwise agreed in writing, our prices shall apply ex works, excluding packaging and plus VAT in its applicable amount. Packaging costs are invoiced separately.
- (2) The purchase price must be paid exclusively to the account detailed on the reverse. The application of any discount is only permitted with special written agreement.
- (3) Unless otherwise agreed, the purchase price must be paid within 30 days of invoicing. Default interest equal to 8% over the relevant basic interest rate per annum shall be applied (see Appendix 1). We reserve the right to assert higher damages caused by late payment.
- (4) If no fixed prices have been agreed, we reserve the right to make reasonable price adjustments due to changes in wage, material and distribution costs for delivery that take place three months or later after the conclusion of the Agreement.

Section 5 Compensation and rights of retention

The Purchaser is only entitled to compensation if its counterclaims have been determined to be legally binding or are undisputed. The Purchaser is only authorised to exercise a right of retention insofar as its counterclaim is based on the same contractual relationship.

Section 6 Delivery time

- (1) The start of the delivery time we specify requires the Purchaser to have met its obligations in a timely and proper manner. This does not affect the right to object to a non-fulfilled agreement.
- (2) Should the Purchaser be in default of acceptance or should it culpably violate other cooperation obligations, we shall be entitled to demand compensation for any damage we incur in this regard, including any additional expenses. This does not affect the right to make further claims. If there are any existing requirements, the risk of an accidental loss or an accidental deterioration of the item of purchase shall transfer to the Purchaser at the moment at which the Purchaser enters into default of acceptance or debtor's default.
- (3) In the event of any delay in delivery that is not the result of intent or gross negligence on our part, we shall be liable to the sum of 3% of the delivery value for each complete week of delay as part of the fixed compensation for delay. However, this liability shall not exceed 15% of the delivery value.
- (4) Any additional legal claims and rights of the Purchaser arising from delay in delivery shall remain unaffected.

Section 7 Transfer of risk upon dispatch

If the goods are sent to the Purchaser at its request, the risk of accidental loss or accidental deterioration of the goods shall transfer to the Purchaser when the goods are sent or, at the latest, when they leave the workshop/warehouse. This shall apply regardless of whether the goods are sent from the place of fulfilment or who is bearing the freight forwarding costs.

Section 8 Reservation of title

- (1) We reserve ownership to the delivered item until the complete payment of all receivables arising from the delivery agreement. This shall also apply for future deliveries, even if we do not consistently and expressly refer to this Agreement. We are entitled to take the purchase item back if the Purchaser acts in a manner contrary to the Agreement.
- (2) The Purchaser undertakes to treat the purchase item with care for as long as ownership has not transferred to the Purchaser. In particular, the Purchaser undertakes to sufficiently insure the purchase item against theft, fire and water damage, at the purchase item's original value and the Purchaser's own expense (note: only permitted when selling high-value goods). If maintenance and inspection work needs to be carried out, the Purchaser shall carry out such work at its own expense and in good time. Until ownership has been transferred, the Purchaser must inform us in writing without delay if the delivered object is seized or exposed to any other interference by third parties. If the third party in question is unable to reimburse

us for the legal and out-of-court costs of a claim pursuant to Section 771 of the German Code of Civil Procedure (ZPO), the Purchaser shall be liable for the loss we incur.

- (3) The Purchaser is entitled to resell the reserved goods in normal business transactions. The purchaser shall assign to us receivables from the resale of the reserved goods equal to the sum total of the invoice as agreed with us (including VAT). This assignment shall apply regardless of whether the purchase item has been resold without or after processing. The Purchaser shall remain authorised to collect the receivable even after the assignment. This does not affect our authorisation to collect the receivable ourselves. However, we will not collect the receivable if the Purchaser meets its payment obligations arising from the revenue received, is not in default of payment and, in particular, if no application has been made to launch insolvency proceedings or there is no suspension of payment (note: this clause shall not apply if no extended reservation of title is desired).
- (4) Any processing, treating and remodelling of the purchase item by the Purchaser shall always take place in our name and on our behalf. In such cases, the expectant right of the Purchaser to the purchase item shall be transferred to the remodelled item. If the purchase item is processed using other objects not belonging to us, we shall acquire co-ownership to the new item according to the ratio of the objective value of our purchase item to the other processed objects at the time of processing. The same shall apply in the event of mixing. If this mixing takes place in such a way that the Purchaser's item is to be viewed as the main item, it shall be considered agreed that the Purchaser shall transfer co-ownership to us on a pro rata basis and shall ensure the resulting sole ownership or co-ownership for us. In order to guarantee our receivables against the Purchaser, the Purchaser shall also assign to us any receivables that arise as a result of connecting the reserved goods with the property against a third party; we already accept this assignment.
- (5) We undertake to release the securities to which we are entitled at the request of the Purchaser if their value exceeds the receivables to be secured by more than 20%.

Section 9 Warranty, notification of defects and recourse/manufacturer recourse

- (1) The warranty rights of the Purchaser require the Purchaser to have met the examination and notification obligations owed by it pursuant to Section 377 of the German Commercial Code (HGB).
- (2) Claims for defects become time-barred 12 months after the delivery of the goods we have delivered to our Purchaser (note: when selling used goods, the warranty period can be excluded completely). The aforementioned provisions shall not apply if the law pursuant to Section 438, Paragraph (1) no. 2 of the BGB (buildings and items for buildings), Section 479 (1) of the BGB (right of recourse) pursuant to Section 634a (1) of the BGB (building defects) prescribes longer periods of time as mandatory. Our approval must be obtained before returning the goods.
- (3) We take the utmost care when producing and handling our goods. Should a defect that already existed at the time of the transfer of risk nevertheless be discovered in the delivered goods, we shall repair the goods as we see fit or deliver replacement goods, subject to complaints being filed in good time. We shall always have the option of supplementary performance within a reasonable period of time. Rights of recourse shall remain unaffected by the aforementioned regulation, without restriction.
- (4) Should supplementary performance fail, the Purchaser may withdraw from the Agreement or reduce remuneration irrespective of any claims for damages.
- (5) Claims for defects do not exist in the case of merely insignificant deviations from the agreed quality, in the case of merely insignificant impact on usability, in the case of natural wear and tear, or in the case of wear in the event of damages that occur after the transfer of risk due to faulty building work, unsuitable building plots or special external influences that are not provided for under the Agreement. If repair works or modifications are performed improperly by the Purchaser or third parties, no claims for defects shall exist for these works or the resulting consequences.
- (6) All claims on the part of the Purchaser to the expenses necessary for the purpose of supplementary performance, in particular transportation, road, work and material costs, are excluded in situations where the expenses increase as a result of the goods we deliver being delivered to a location other than the branch of the Purchaser, unless said delivery complies with intended use.
- (7) The Purchaser's rights of recourse against us only exist insofar as the Purchaser has not made any agreements with its own purchaser that go beyond the legally mandatory claims for defects. Paragraph 6 shall continue to apply accordingly for the scope of the Purchaser's rights of recourse.

Section 10 Miscellaneous

- (1) This Agreement and the overall legal relationships of the parties are subject to the law of the Federal Republic of Germany in exclusion of the UN Sales Convention.
- (2) Unless otherwise specified in the order confirmation, the place of fulfilment and exclusive jurisdiction for all disputes arising from this Agreement shall be our business headquarters.
- (3) All agreements made between the parties in order to execute this Agreement must be put in writing in this Agreement.
- (4) Should individual provisions of this Agreement be or become ineffective or contain a loophole, the remaining provisions shall remain hereby unaffected. In place of the ineffective regulation, the parties undertake to make a legally permissible regulation that comes closest to the economic purpose of the ineffective regulation, or to close the loophole.

The price list is valid from 01.04.2019

Previous price lists and prices in catalogs lose their validity. All prices are indicative sales prices, exclusive VAT. The terms of delivery and payment of company WITA apply. Production-related deviations in dimensions and designs as well as technical changes and errors excepted.

Terms of payment:

Within 8 days from date of invoice less 3% discount or 30 days without deduction.

Terms of delivery domestic: Invoice amounts up to net 500, - Euro ex works, over 500, - Euro free delivery.

Delivery conditions abroad: Invoice amounts up to net 500, - Euro ex works, over 500, - Euro free to German border.

ONLY ORIGINAL WITH THE DIAMOND®



WITA® - Wilhelm Taake GmbH

Böllingshöfen 85 | D-32549 Bad Oeynhausen
phone: +49 5734 512380 | fax: +49 5734 1752
www.wita.de | info@wita.de